

MIGZONE ENDURANCE SERIES

MZ-E 150G**MIGZONE®**
TORCHES**60**
%ED0,6
–
1,0
mm**180**
A_{CO2}
150
A_{MIX}**i Flex Neck Special**

The MZ-E 150G is also available with flexible necks.

**i Neck Variations**

You can get our whole MZ-E series MIG Torches with rotating necks.

**Complete Torch**

MZ-E 150G cpl. with grey handle, Euro-connection
(Steel Liner 1,5x4,0mm)

MIGZONE MZ-E Series – air and watercooled MIG-Torch**DIN Norm**

Technical data according to CE EN 60 974-7

The Handle

2-component handle - robust and ergonomic


The Trigger

U/D Module (Option)

The Gun and Cable

Premium components installed

MIGZONE MZ-E 150G – aircooled MIG-Torch



Complete Torch

MZ-E 150G cpl. with grey handle,
Euro-connection (Steel Liner 1,5x4,0mm)

3m	MZ-150GAA3E
4m	MZ-150GAA4E
5m	MZ-150GAA5E

Torch Front Group

1	Contact Tip M6x25	
	ECu	21506xx
	CuCrZr	21576xx
	for Alu	21566xx

i Tips available in Ø 0.6/0.8/0.9/1.0 mm
Please insert wire diameter at **xx**.
Example: Ø **0,8** = Part No. 21506**08**

2	Gas Nozzle, cylinder	
	Slip-on	2150801
	Screw-On	2150811
3	Gas Nozzle, con.	
	Slip-on*	2150802
	Screw-On	2150812
4	Gas Nozzle, tapered	
	Slip-on	2150803
5	Spot Welding Gas Nozzle	
	Slip-on	2150805
	Screw-On	2150815
6	Swan Neck Complete	
	for Slip-on Gas Nozzle	150GM100
	for Screw-On Gas Nozzle	150GM101
7	Tip Adapter	
	M6* left thread L=42 mm	2150401
8	Nozzle	
	Spring	2150500
9	Insulator	
	Head	2150204
10	Hose	
	Insulating	2150205
11	Connection MZ-K2	
	Body	21140011

Handle Group


19	Reduction D16	
	MZ-K2	21140041
20	MIG-Handle MZ-K2, grey	
	complete, aircooled	MZ-HDL-K2G-G
21	MIG-Handle MZ-K2, grey	
	left + right half	MZ-K2-001
22	Neutral top	
	MZ-K2	MZ-K2-002
23	Screw for	
	Handle	MZ-K2-005
24	Trigger cpl.	
	MZ-K2	MZ-K2-006
25	Nut for	
	Handle MZ-K2	MZ-K2-007
26	MZ-K2, 2pol. Female connection	
	with cables	21140062K

Cable Group

50	Coaxial Cable 16mm²	
	3m	3001630
	4m	3001640
	5m	3001650
51	Gun Plug Housing	
	Swivel	MZ-K2-008
52	Spring	
	Cable Support	MZ-K2-009
53	Electrical Connector	
	Female, insulated	2155100

***** Parts marked with * are included
in the standard configuration

MIGZONE MZ-E 150G – aircooled MIG-Torch



Cable Group		
54	Electrical Connector Male, insulated	2155200
80	Spring Cable Support	2151201
81	Gun Plug Housing	2251601
82	Gun Plug Body with Spring Loaded Pins	2151505
	Nut	
83	Liner Positioner	2151501
84	Plug	ZA-14
85	Screw for Gun Plug Body	ZA-11
Liner Group 1		
100	Mono-Steel-Liner Steel 1,5 x 4,0 mm / X m blue*	34415X0
101	Mono-Synthetic-Liner PTFE 1,5 x 4,0 mm / X m blue	34115X0
	Carbon-PTFE 1,5 x 4,0 mm / X m	35115X0
	PA 1,4 x 4,0 mm / X m	35314X0
i Liners available in 3 m / 4 m / 5 m length. Please insert length at X. Example: Steel-Liner 4 m = 3441540		
Collet (Mono)		
103	for Steel Liner Ø 4,0 mm	2155645
104	for PTFE Liner Ø 4,0 mm	2155740
105	O-Ring for Synthetic Liner	0031500
* Parts marked with * are included in the standard configuration		