

MIGZONE ENDURANCE SERIES

MZ-E 240G

MIGZONE®
TORCHES



60
%ED



0,8
-
1,2
mm

250
A_{CO2}
220
A_{MIX}



Neck Variations

You can get our whole MZ-E series
MIG Torches with rotating necks.



Complete Torch

MZ-E 240G cpl. with grey handle, Euro-connection
(Steel Liner 2,0x4,0mm)

3m	MZ-240GAA3E
4m	MZ-240GAA4E
5m	MZ-240GAA5E

MIGZONE MZ-E Series – air and watercooled MIG-Torch

DIN Norm

Technical data according to CE EN 60 974-7

The Handle

2-component handle - robust and ergonomic


The Trigger

U/D Module (Option)

The Gun and Cable

Premium components installed

MIGZONE MZ-E 240G – aircooled MIG-Torch



Complete Torch

MZ-E 240G cpl. with grey handle, Euro-connection (Steel Liner 2,0x4,0mm)		
3m	MZ-240GAA3E	
4m	MZ-240GAA4E	
5m	MZ-240GAA5E	

Torch Front Group

1 Contact Tip Pro	M6x28	M8x30
ECu	22506xx	-
CuCrZr	22576xx	-
for Alu	22566xx	-
Contact Tip Eco	M6x28	M8x30
ECu	22506xxL	-
CuCrZr	22576xxL	-

i Tips available in Ø 0.8/0.9/1.0/1.2 mm
Please insert wire diameter at **xx**.
Example Ø 1,0 mm is: 10; Art.-No.: = 2250610

Gas Nozzle L=63,5mm		
2 cylinder NW17		2240801
3 conical NW12,5*		2240802
4 tapered NW12,5		2240803
5 Spot Welding NW17		2240805
6 Tip Adapter	M6	M8
short L=26mm	2240406	-
long	-	-
7 Gas Diffuser		
white*		2240702
black		2240700
8 Swan Neck		
MZ-E 240G, complete		240GM100
9 Connection Body		21140011

Handle Group


19 Reduction D16		
MZ-K2		21140041
20 MIG-Handle MZ-K2, grey complete, aircooled		MZ-HDL-K2G-G
21 MIG-Handle MZ-K2, grey left + right half		MZ-K2-001
22 Neutral top		
MZ-K2		MZ-K2-002
23 Screw for Handle		MZ-K2-005
24 Trigger cpl.		
MZ-K2		MZ-K2-006
25 Nut for Handle MZ-K2		MZ-K2-007
26 MZ-K2, 2pol. Female connection with cables		21140062K

Cable Group

50 Coaxial Cable 35mm²		
3m		3003530
4m		3003540
5m		3003550
51 Gun Plug Housing		
Swivel		MZ-K2-008
52 Spring		
Cable Support		MZ-K2-009
53 Electrical Connector		
Female, insulated		2155100

* Parts marked with * are included in the standard configuration

MIGZONE MZ-E 240G – aircooled MIG-Torch



Cable Group

54	Electrical Connector	
	Male, insulated	2155200
80	Spring	
	Cable Support	2151201
81	Gun Plug	
	Housing	2251601
82	Gun Plug	
	Body with Spring Loaded Pins	2151505
	Nut	
83	Liner Positioner	2151501
84	Plug	ZA-14
85	Screw	
	for Gun Plug Body	ZA-11

Liner Group 2

100	Mono-Steel-Liner	
	Steel 1,5 x 4,0 mm / X blue	34415X0
	Steel 2,0 x 4,0 mm / X red*	34420X0
101	Mono-Synthetic-Liner	
	PTFE 1,5 x 4,0 mm blue	34115X0
	PTFE 2,0 x 4,0 mm red	34120X0
	Carbon-PTFE 1,5 x 4,0 mm / X m	35115X0
	Carbon-PTFE 2,0 x 4,0 mm / X m	35120X0
	PA 1,4 x 4,0 mm / X m	35314X0
	PA 2,0 x 4,0 mm / X m	35220X0
102	Combi-Synthetic-Liner	
	PTFE 1,5 x 4,0 mm / X m blue	34115X0K
	PTFE 2,0 x 4,0 mm / X m red	34120X0K
	Carbon-PTFE 1,5 x 4,0 mm / X m	35115X0K
	Carbon-PTFE 2,0 x 4,0 mm / X m	35120X0K
	PA 1,4 x 4,0 mm / X m	35314X0K
	PA 2,0 x 4,0 mm / X m	35320X0K

i Liners available in 3 m / 4 m / 5 m length.
Please insert length at **X**.
Example: Steel-Liner **4** m = 34415**4**0

Collet (Mono & Combi)

103	for Steel Liner Ø 4,0 mm	2155645
104	for Synthetic Liner Ø 4,0 mm	2155740
105	O-Ring	
	for Synthetic and Combi Liner	0031500

***** Parts marked with * are included in the standard configuration